

Parameter	Unit	Value	Standard Error	95% CI	P-value
Intercept		1.00	0.00	1.00	0.00
Age	Year	0.02	0.01	-0.01, 0.05	0.15
Gender					
Male		0.01	0.02	-0.03, 0.05	0.78
Female		-0.01	0.02	-0.05, 0.03	0.82
Education	Year	0.01	0.01	-0.01, 0.03	0.45
Income	Year	0.01	0.01	-0.01, 0.03	0.45
Health status					
Good		0.01	0.02	-0.03, 0.05	0.78
Poor		-0.01	0.02	-0.05, 0.03	0.82
Smoking status					
Smoker		0.01	0.02	-0.03, 0.05	0.78
Nonsmoker		-0.01	0.02	-0.05, 0.03	0.82
Alcohol consumption					
Drinker		0.01	0.02	-0.03, 0.05	0.78
Nondrinker		-0.01	0.02	-0.05, 0.03	0.82
Exercise					
Regular		0.01	0.02	-0.03, 0.05	0.78
Irregular		-0.01	0.02	-0.05, 0.03	0.82
Stress					
High		0.01	0.02	-0.03, 0.05	0.78
Low		-0.01	0.02	-0.05, 0.03	0.82
Family size					
Large		0.01	0.02	-0.03, 0.05	0.78
Small		-0.01	0.02	-0.05, 0.03	0.82
Marital status					
Married		0.01	0.02	-0.03, 0.05	0.78
Single		-0.01	0.02	-0.05, 0.03	0.82
Divorced		0.01	0.02	-0.03, 0.05	0.78
Widowed		-0.01	0.02	-0.05, 0.03	0.82
Religion					
Christian		0.01	0.02	-0.03, 0.05	0.78
Muslim		-0.01	0.02	-0.05, 0.03	0.82
Hindu		0.01	0.02	-0.03, 0.05	0.78
Buddhist		-0.01	0.02	-0.05, 0.03	0.82
Other		0.01	0.02	-0.03, 0.05	0.78
Occupation					
Professional		0.01	0.02	-0.03, 0.05	0.78
Managerial		-0.01	0.02	-0.05, 0.03	0.82
Clerical		0.01	0.02	-0.03, 0.05	0.78
Skilled		-0.01	0.02	-0.05, 0.03	0.82
Unskilled		0.01	0.02	-0.03, 0.05	0.78
Residence					
Urban		0.01	0.02	-0.03, 0.05	0.78
Rural		-0.01	0.02	-0.05, 0.03	0.82
Climate					
Tropical		0.01	0.02	-0.03, 0.05	0.78
Temperate		-0.01	0.02	-0.05, 0.03	0.82
Polar		0.01	0.02	-0.03, 0.05	0.78
Time of day					
Morning		0.01	0.02	-0.03, 0.05	0.78
Afternoon		-0.01	0.02	-0.05, 0.03	0.82
Evening		0.01	0.02	-0.03, 0.05	0.78
Season					
Spring		0.01	0.02	-0.03, 0.05	0.78
Summer		-0.01	0.02	-0.05, 0.03	0.82
Autumn		0.01	0.02	-0.03, 0.05	0.78
Winter		-0.01	0.02	-0.05, 0.03	0.82

The invention provides novel cross-linked polymers and positive chemically-amplified photoresist compositions that comprise a photoactive component and such cross-linked polymers. Resists of the invention can exhibit enhanced lithographic results relative to comparable compositions where the polymers are not crosslinked.